

RIG PARTICULARS


- ❖ WATER DEPTH TO 10,000 FEET
- ❖ VARIABLE DECK LOAD TO 10,000 SHORT TONS

COMPONENT CONFIGURATIONS

- ❖ DECK/BARGE: 190'X190'X30' WITH 50'X50' MOONPOOL
- ❖ HULL: 8-27 FOOT CYLINDRICAL SHELLS FORMING A SHELL 77' IN DIA & 415' LONG
- ❖ TETHER: 8-5" WIRE ROPES, 8 LINEAR WINCHES WITH A 350 ST CAPACITY
- ❖ GRAVITY BASE: OCTAGONAL WITH 105' OUT-TO-OUT AND 20' DEPTH WITH 140 LB/FT³ MUD, TOTAL WEIGHT 9,100 ST

OTHER PARTICULARS

❖ DISPLACEMENT	=	61,000 ST
❖ STEEL-DECK	=	2,000 ST
❖ STEEL-HULL	=	10,000 ST
❖ OUTFITTING	=	4,200 ST
❖ BALLAST	=	31,000 ST
❖ PRETENSION	=	3,800 ST
❖ SUB-TOTAL	=	<u>51,000 ST</u>
❖ DECK PAYLOAD	=	10,000 ST
❖ TOTAL	=	<u>61,000 ST</u>



CAPACITIES

PIPE RACK AREA	10,000 FT ²
SACK STORAGE	150 ST
DRILL WATER	7,500 BBL
POTABLE WATER	2,800 BBL
FUEL OIL	6,500 BBL
BRINE, MUD AND CEMENT	18,000 FT ³
BRINE	2,800 BBL
BASE OIL	1,400 BBL
LIQUID MUD	4,500 BBL

DRILLING EQUIPMENT

DERRICK	1,500 KIPS
SETBACK	1,000 KIPS
DRAWWORKS	1@4,000 KW

MACHINERY

MAIN POWER	8@4,000 KW
	35.2 MW
POWER DISTRIBUTION	4,160/480 VAC
EMERGENCY POWER	1@5,000 KW

International
Design,
Engineering and
Analysis
Services, Inc.

300 Montgomery Street
 San Francisco, CA 94104-1909
 USA
 Telephone: (415) 362-7997
 Facsimile: (415) 362-7994
 Web Site: www.ideas-engineering.com